

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|------------------------------------|---|------------------|---------|---------------------|
| S2 | 200899 | LAN | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/28 11:28 |
| S3 | 169217 | S2 and (client or user or device) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/28 11:32 |
| S4 | 5133 | S3 and (remote near3 terminal) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/28 11:37 |
| S6 | 92 | S4 and (PPP near3 connect \$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/28 13:42 |
| S7 | 8 | S4 and (PPPOE near3 connect\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/28 14:11 |
| S8 | 56 | S4 and PPPOE | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/28 14:26 |
| S9 | 149 | home near3 gateway near3 apparatus | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/28 15:09 |
| S12 | 4 | S9 and (WAN near3 interface) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/28 14:54 |
| S14 | 407 | S2 and PPPOE | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/28 15:12 |

| | | | | | | |
|-----|--------|---|---|-----|-----|---------------------|
| S15 | 40 | S14 and (discovery near3 packet) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/28 15:13 |
| S16 | 200899 | LAN | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/28 18:08 |
| S17 | 31 | S16 and (home near3 gateway near3 apparatus) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/28 18:08 |
| S18 | 1 | 10/791359 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/29 08:34 |
| S19 | 1 | "0176434".did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/07/02 12:01 |
| S20 | 2 | "20020095299".did. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 18:20 |
| S21 | 495 | (pppoe or point to point over ethernet) and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 18:29 |
| S22 | 36 | (pppoe or point to point over ethernet) and (ppp or point to point) with lan and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 18:31 |
| S23 | 0 | (pppoe or point to point over ethernet) and enabl \$5 (ppp or point to point) with lan and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 18:37 |

| | | | | | | |
|-----|----|---|---|-----|-----|---------------------|
| S24 | 0 | (pppoe or point to point over ethernet) and (ppp or point to point) with lan device and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 18:38 |
| S25 | 49 | (pppoe or point to point over ethernet) and concentrator and dslam and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 19:31 |
| S26 | 19 | (pppoe or point to point over ethernet) and concentrator and dslam and cable modem and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 19:31 |
| S27 | 0 | (pppoe or point to point over ethernet) and computer and wireless access point and set top box and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 19:44 |
| S28 | 0 | (pppoe or point to point over ethernet) and computer and wireless access point and set top box and usb and tv and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 19:45 |
| S29 | 0 | (pppoe or point to point over ethernet) and computer and access point and set top box and (usb or universal serial bus) and tv and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 19:46 |
| S30 | 0 | (pppoe or point to point over ethernet) and computer and access point and set top box and (usb or universal serial bus) and (voip or voice over ip) and tv and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 19:47 |
| S31 | 40 | (pppoe or point to point over ethernet) and (computer or access point or set top box) and tv and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 19:49 |

| | | | | | | |
|-----|----|--|---|-----|-----|---------------------|
| S32 | 12 | (pppoe or point to point over ethernet) with (computer or access point or set top box) and tv and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 19:52 |
| S33 | 0 | (pppoe or point to point over ethernet) and disabl \$5 near9 (nat or network address translation) with ppp and tv and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 20:09 |
| S34 | 0 | (pppoe or point to point over ethernet) and disabl \$5 near9 (nat or network address translation) with ppp and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 20:10 |
| S35 | 0 | (pppoe or point to point over ethernet) and disabl \$5 with (nat or network address translation) with ppp and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 20:10 |
| S36 | 14 | (pppoe or point to point over ethernet) and (nat or network address translation) with ppp and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 20:10 |
| S37 | 8 | (pppoe or point to point over ethernet) with(nat or network address translation) with ppp and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 20:12 |
| S38 | 8 | (pppoe or point to point over ethernet) with (nat or network address translation) with ppp and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 20:12 |
| S39 | 0 | (pppoe or point to point over ethernet) and disabl \$5 near15 (nat or network address translation) and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 20:14 |

| | | | | | | |
|-----|----|---|---|-----|-----|---------------------|
| S40 | 0 | (pppoe or point to point over ethernet) and disabl \$5 with (nat or network address translation) and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 20:14 |
| S41 | 26 | (pppoe or point to point over ethernet) and disabl \$5 and (nat or network address translation) and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 20:15 |
| S42 | 0 | (pppoe or point to point over ethernet) and (disabl \$5 or disconnect\$5 or terminat\$5) with (nat or network address translation) and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 20:16 |
| S43 | 88 | (pppoe or point to point over ethernet) and (disabl \$5 or disconnect\$5 or terminat\$5) and (nat or network address translation) and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 20:16 |
| S44 | 0 | (pppoe or point to point over ethernet) and (disabl \$5 or disconnect\$5 or terminat\$5) near15 (nat or network address translation) and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 20:17 |
| S45 | 0 | (pppoe or point to point over ethernet) and (disabl \$5 or disconnect\$5 or terminat\$5) same (nat or network address translation) and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 20:17 |
| S46 | 88 | (pppoe or point to point over ethernet) and (disabl \$5 or disconnect\$5 or terminat\$5) and(nat or network address translation) and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 20:17 |
| S47 | 88 | (pppoe or point to point over ethernet) and (disabl \$5 or disconnect\$5 or terminat\$5) and (nat or network address translation) and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 20:17 |

| | | | | | | |
|-----|----|--|---|-----|-----|---------------------|
| S48 | 10 | (pppoe or point to point over ethernet) and (disabl \$5 or disconnect\$5 or terminat\$5) and (nat or network address translation) with ppp and @ad< "20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 20:18 |
| S49 | 71 | (pppoe or point to point over ethernet) and disabl \$5 and @ad< "20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 20:24 |
| S50 | 0 | (pppoe or point to point over ethernet) and disabl \$5 nat and @ad< "20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 20:24 |
| S51 | 0 | (pppoe or point to point over ethernet) and disabl \$5 (nat or network address translation) and @ad< "20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 20:25 |
| S52 | 0 | (pppoe or point to point over ethernet) and disabl \$5 with (nat or network address translation) and @ad< "20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 20:25 |
| S53 | 0 | (pppoe or point to point over ethernet) and disabl \$5 same (nat or network address translation) and @ad< "20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 20:25 |
| S54 | 5 | (pppoe or point to point over ethernet) and receiv \$5 near9 request and bluetooth and @ad< "20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/03 20:29 |
| S55 | 57 | (pppoe or point to point over ethernet) with pppoe client and @ad< "20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/04 10:57 |

| | | | | | | |
|-----|----|---|---|-----|-----|---------------------|
| S56 | 0 | (pppoe or point to point over ethernet) with pppoe client with node and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/04 10:58 |
| S57 | 28 | (pppoe or point to point over ethernet) with pppoe client and lan and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/04 10:59 |
| S58 | 0 | (pppoe or point to point over ethernet) and (disabl \$5 or block\$5) (nat or network address translation) and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/04 11:28 |
| S59 | 0 | (pppoe or point to point over ethernet) and (disabl \$5 or block\$5 or deactivat \$5) (nat or network address translation) and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/04 11:29 |
| S60 | 0 | (pppoe or point to point over ethernet) and (disabl \$5 or block\$5 or deactivat \$5) (nat or network address translation) and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/04 11:30 |
| S61 | 0 | (pppoe or point to point over ethernet) and (nat or network address translation) feature and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/04 11:31 |
| S62 | 6 | (pppoe or point to point over ethernet) and (nat or network address translation) funct\$5 and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/04 11:31 |
| S63 | 25 | (disabl\$5 or block\$5 or deactivat\$5) (nat or network address translation) and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/04 11:37 |

| | | | | | | |
|-----|-----|---|---|-----|-----|---------------------|
| S64 | 0 | (disabl\$5 or block\$5 or deactivat\$5) (nat or network address translation) and (pppoe or point to point over ethernet) and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/04 11:38 |
| S65 | 5 | (disabl\$5 or block\$5 or deactivat\$5) with (nat or network address translation) and (pppoe or point to point over ethernet) and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/04 11:39 |
| S66 | 486 | (disabl\$5 or block\$5 or deactivat\$5) with ppp and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/04 11:41 |
| S67 | 0 | (disabl\$5 or block\$5 or deactivat\$5) (nat or network address translation) with ppp and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/04 11:42 |
| S68 | 6 | (disabl\$5 or block\$5 or deactivat\$5) (nat or network address translation) and ppp and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/04 11:42 |
| S69 | 7 | (pppoe or point to point over ethernet) and (receiv\$5 request\$5 or message) with (bletooth or usb or dsl modem or cable modem or wireless modem) and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/04 11:50 |
| S70 | 2 | (dsl modem or cable modem or wireless modem or satellite modem) near12 (execut\$5 or output) near12 (pppoe or point to point over ethernet) and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/04 11:59 |

| | | | | | | |
|-----|----|--|---|-----|-----|---------------------|
| S71 | 0 | (dsl modem or cable modem or wireless modem or satellite modem) near12 (execut\$5 or output) near12 (pppoe or point to point over ethernet) and concentrator and @ad< "20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/04 12:02 |
| S72 | 0 | (dsl modem or cable modem or wireless modem or satellite modem) same (execut\$5 or output) near12 (pppoe or point to point over ethernet) and concentrator and @ad< "20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/04 12:02 |
| S73 | 1 | (dsl modem or cable modem or wireless modem or satellite modem) same (execut\$5 or output) same (pppoe or point to point over ethernet) and concentrator and @ad< "20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/04 12:02 |
| S74 | 0 | (pppoe or point to point over ethernet) and subscriber informat\$5 and broadband and cost and trouble ticket and @ad< "20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/05 00:22 |
| S75 | 2 | (pppoe or point to point over ethernet) and subscriber informat\$5 and broadband and cost and @ad< "20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/05 00:23 |
| S76 | 11 | (pppoe or point to point over ethernet) and subscriber informat\$5 and market\$5 and @ad< "20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/05 00:33 |
| S77 | 0 | (pppoe or point to point over ethernet) and subscriber informat\$5 with market\$5 and @ad< "20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/05 00:39 |

| | | | | | | |
|-----|----|---|---|-----|-----|---------------------|
| S78 | 0 | (pppoe or point to point over ethernet) and subscriber informat\$5 and network plan\$5 and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/05 00:42 |
| S79 | 5 | (pppoe or point to point over ethernet) and informat\$5 and network plan\$5 and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/05 00:43 |
| S80 | 1 | (pppoe or point to point over ethernet) and (subscriber or user or client) informat\$5 and network plan\$5 and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/05 00:44 |
| S81 | 16 | (pppoe or point to point over ethernet) and (subscriber or user or client) informat\$5 and (market\$5 or network plan\$5) and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/05 00:46 |
| S82 | 1 | (pppoe or point to point over ethernet) and (subscriber or user or client) informat\$5 and network plan\$5 and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/05 00:51 |
| S83 | 11 | (pppoe or point to point over ethernet) and (subscriber or user or client) informat\$5 and service offer\$5 and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/05 00:53 |
| S84 | 0 | (pppoe or point to point over ethernet) and (subscriber or user or client) informat\$5 and service offer\$5 with market\$5 and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/05 00:53 |
| S85 | 0 | (pppoe or point to point over ethernet) and (subscriber or user or client) trouble ticket and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/05 01:01 |

| | | | | | | |
|-----|---|---|---|-----|-----|---------------------|
| S86 | 0 | (pppoe or point to point over ethernet) and (subscriber or user or client) with trouble ticket and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/05 01:01 |
| S87 | 0 | (pppoe or point to point over ethernet) and (subscriber or user or client) with (trouble ticket or complaint) and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/05 01:02 |
| S88 | 5 | (pppoe or point to point over ethernet) and (subscriber or user or client) and (trouble ticket or complaint) and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/05 01:02 |
| S89 | 5 | (pppoe or point to point over ethernet) and (subscriber or user or client) and (trouble ticket or complaint) and respons \$5 and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/05 01:06 |
| S90 | 2 | "20040044789".did. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/07/05 23:47 |
| S91 | 0 | ((another or differnt) near6 request) and (pppoe or point to point over ethernet) and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/11/19 13:41 |
| S92 | 0 | ((another or differnt) near6 link) and (pppoe or point to point over ethernet) and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/11/19 13:43 |
| S93 | 7 | ((another or differnt or new) near6 link) and (pppoe or point to point over ethernet) and @ad<"20040302" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/11/19 13:44 |

11/ 19/ 2008 5:20:50 PM

C:\Documents and Settings\sbokhari\My Documents\EAST\Workspaces\10791359.wsp